

# EZhomotech


## EZTbox – HD IPTV Player

### Contains IPTV player, VOD Player and Internet Browser

EZTbox supports HD Live TV player, RSS Reader and Internet browser. It is suitable in Telecom Carrier, ISP, Hotel, Telecom, Bus, Education IPTV market.

#### Feature:

- **Watch 1920x1080 HD videos in the internet:** EZTbox Live TV player can play up to 12Mbps HD Live Video in the internet.
- **Show RSS Information form the internet:** EZTbox RSS reader is able to display the internet RSS content.
- **Web / HTML GUI:** Use HTML language to define the screen layout of EZTbox
- **Easily firmware update:** Firmware update via the Internet.
- **Video Access Control:** Access videos by a control key made by a 16-digital no.
- **Digital/Analog Signal Output at same time:** HDMI and RCA signal output at the same time



### SPECIFICATIONS

EZTBox	
<b>General</b>	
CPU speed	320Mhz
Dimension	153(L) x 114(D) x 33(H) mm
Weight	About 250g
Power	AC Input 90V~260V and 50-60 Hz DC, output 12V@1.5A
Flash Storage	128M bytes
RAM	256M bytes
Operating Environment	Temperature: 5°C ~ 40°C; Humidity: 10%~90% (Non-condensing)
Power Consumption	<18W, Support Power Save/Suspension Mode
Front Panel	Standby Button *1

	Infrared (IR) Receiver * 1
	Power Status LED * 1
	Network Status LED * 1
	Infrared Status LED * 1
<b>Right Side</b>	DC Power In
	Power Switch
<b>Left Side</b>	USB2.0 * 2
	RJ45
	Reset Button
<b>Rear Panel</b>	HDMI Output * 1
	Composite Video RCA Output * 1
	L+R Analog Stereo RCA Output * 2
<b>Media Format</b>	
MPEG	MPEG2/MPEG4 AVC/H.264/ HD
Graphics	JPEG, PNG ,BMP,GIF
HD Live TV Video Streaming	Up to 1920x1080- 12Mbps H264 TS
<b>Control</b>	
Media Control	Channel Up and Down
Volume Control	Up, Down and Mute on/off
<b>Output</b>	
Analog	NTSC/PAL
Digital	Up to 1080ix60 and 1080px30
Graphics	Up to 1920x1080x24 with alpha
<b>Interface</b>	
Video out	HDMI/Composite
Audio Out	L+R Analog Stereo RCA Output * 2
USB	2xUSB2.0
Network	10/100 MB Ethernet
<b>Operating System, Middleware and Network</b>	
Operating System	Linux 2.6
GUI	Ezhometech SSP 6.0
Internet Browser	HTML4.1, Javascript1.5, CSS2.0, DOM1.0
RSS Reaer	Internet RSS content access
Supported Protocol and Server	EZTCP (Ezhometech Video Streaming Protocol)
	HTTP: Ezserver or any Web server
Player management	Reboot, Status checking
Software update	By ethernet

## Supplied Accessories

Adapter x 1, Remote Controller x 1, 1.5M Standard HDMI  
Audio/Video Cables

---

[www.ezhometech.com](http://www.ezhometech.com)

7F-1, No.189, Sec.2, Keelung Road, Taipei, Taiwan, R.O.C.

Tel: 886-2-27354224 Fax: 886-2-27354224

[sales@ezhometech.com](mailto:sales@ezhometech.com)